

# Microphone Choices for Vortex<sup>®</sup> Devices

Application Note

Polycom Installed  
Voice Business  
Group

September 2004



Nearly any microphone will work with the Vortex products. If you don't already have a particular microphone in mind, below are some common selections in alphabetical order.

## **ASTATIC 201**

<http://www.atic.com/commercial/>

Tabletop or ceiling mounted cardioid microphones. The 202 version is omnidirectional.

## **ASTATIC 901**

<http://www.atic.com/commercial/>

Tabletop boundary style microphone with cardioid pickup pattern.

## **AUDIA TECHNICA AT851A**

<http://www.audiotechnica.com/prodpro/profiles/AT851a.html>

Tabletop boundary style microphone with cardioid pickup pattern.

## **AUDIA TECHNICA AT854R**

<http://www.audiotechnica.com/prodpro/profiles/AT854R.html>

Four independent microphone elements (takes up 4 mic inputs on the Vortex).

## **BEYERDYNAMIC MPC22 SW**

Table mounted directional microphone. Point towards the talker!  
Can be ordered white or black.

## **BEYERDYNAMIC MPC66 V WS**

[http://www.beyerdynamic.com/com/maerkte/c\\_u\\_p/index.htm](http://www.beyerdynamic.com/com/maerkte/c_u_p/index.htm)

Boundary style cardioid microphones. Available in white or black.

## **CLOCK AUDIO**

<http://www.microphones-audio.com/brochure/acatalog/Boundary-Layer.html>

Boundary style cardioid microphones.

## **SHURE EZO**

<http://www.shure.com/microphones/models/ezo.asp>

Hanging mics that are often used in ceiling mic configurations.

## **SHURE MX392/C**

<http://www.shure.com/microphones/models/mxboundary.asp>

Tabletop boundary style microphone with cardioid pickup pattern. /C stands for cardioid version. Has unterminated ends – easy to put into mini phoenix connectors.

## **SHURE MX393/C**

<http://www.shure.com/microphones/models/mxboundary.asp>

Similar to MX392 but with programmable push to talk button and status LED that can be wired into the Vortex logic ports.

## **SHURE MX412 AND MX418**

<http://www.shure.com/microphones/models/mxgooseneck.asp>

Gooseneck microphone with 12 or 18 inch length.

# TECHNICAL SUPPORT

---

For support on the Vortex product line, call toll-free (USA/Canada) 888-248-4143, then select option 1, then option 3.

For exclusive Integrator and Consultant focused support (through our PASS program), dial 1.408.474.2048; this number will get you help on video and Vortex products.

For general technical support, dial 1.800.POLYCOM

## POLYCOM INSTALLED VOICE BUSINESS GROUP CONTACT INFORMATION

Our address is:

9040 Roswell Road  
Suite 450  
Atlanta, GA 30350  
770-350-4140 Phone  
770-350-4142 Fax

Copyright © 2004 Polycom, Inc.

Polycom, the Polycom logo, and Vortex are registered trademarks of Polycom, Inc. in the USA and various countries. All other brand names, product names, and trademarks are the sole property of their respective owners.